BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 2nd December 1939.

The attention of the public is invited to the Notification, calling for tenders for the work of "Providing Flushing Latrines of 24 seats with underground drainage to the Municipal Sewer for the Sub-Jail, Mysore", published in pages 2457-2459, Part VI of the *Mysore Gazette*, dated 7th December 1939.

The last date of receiving tenders is fixed on 23rd December 1939.

Notification dated 6th December 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 28th December 1939, for constructing drains 1st stage in Koppa Town during the year 1939-40. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 310 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing drains 1st stage in Koppa Town during the year 1939-40," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Abstract estimate of quantities of work.

No.	Particulars	Unit	Quantity	Rate
1	Constructing silk pattern drains with new burnt stone slabs of 3″ thick including dressing and laying 2″ thick cement concrete bed 1 : 2 : 4 over 4″ thick surki concrete bed and forming an invert in the concrete of the drain with cement concrete and ½″ thick cement mortar plaster for the exposed surface and cement mortar pointing to the slabs including earthwork, formation of road, etc., complete as per design :—			
	(1) Do 3″ section drain	R.ft.	1,850	
	(2) Do 4″ (2) do	,,	250	
	(3) Do 4″ (1) do	,,	500	
	(4) Do 5″ (2) do	,,	550	
	(5) Do 6″ (3) do	,,	650	

No.	Particulars	Unit	Quantity	Rate
	Rates for the following works are also to be quoted.			
2	Dismantling and reconstructing stone masonry in mud ..		Per c.ft.	
3	Do in mortar	..	..	
4	Providing and fixing 6″ thick burnt stone slabs with rough dressing	Per S.ft.	..	
5	New size stone in mud	Per C.ft.	..	
6	Surki concrete	,,	..	
7	Cement mortar plaster ½″ thick 1 : 3	Per Sqr.	..	
8	Do pointing	,,	..	

Notification dated 8th December 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 4th January 1940, for the work of constructing first stage drains in Maddur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for the work of constructing first stage drains in Maddur Town," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately, but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Abstract estimate of quantities of work.

No.	Items of work	Unit	Quantity	Rate
				Rs. a. p.
1	Constructing silk pattern drains with burnt stone slabs, cheeks 3″ thick and forming central channel portion with cement concrete over 1½″ cement concrete bed (1 : 2 : 4) on 3″ surki concrete (1 : 2) and the exposed surfaces of cement concrete plastered over with ½″ thick cement mortar including cement pointing the joints of slabs and earthwork excavation as per type design.			
	Design of 3″ Section	R.ft.	7,100	
	Do 5″ (1) do	,,	380	
	Do 5″ (2) do	,,	70	
	Do 6″ (3) do	,,	820	

No.	Items of work	Unit	Quantity	Rate
	The rates for the following items also should be quoted			
1	Rough stone in clay	C.ft.		
2	Size stone in clay	,,		
3	Providing and fixing 6″ thick covering slabs over tunnel with hammer dressing the edges	S.ft.		
4	Providing and fixing 3″ thick burnt stone slab parapet nicely dressed	,,		
5	Cement pointing the stone masonry	Sqr.		
6	Providing and fixing 9″×9″ cut stone pillars at end of parapet including dressing, etc., complete	C.ft.		
7	Earth filling over the covering slabs of tunnels ..	C.yd.		
8	Removing and refixing slabs in front of houses ..	S.ft.		

Notification dated 15th December 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 2nd January 1940, for providing underground drainage for the Old Exhibition Building near the Professor's Quarters now converted into Reserve Police Lines, Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 190 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for providing underground drainage for the Old Exhibition Building near the Professors' Quarters now converted into Reserve Police Lines, Mysore," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Abstract of approximate quantities for providing Underground Drainage for the Old Exhibition Buildings near the Professors' Quarters now converted into Reserve Police Lines, Mysore.

Item No.	Description of work	Per	Quantity	Rate
1	Providing and laying and jointing 6″ S.W. pipe in cement mortar, including excavating gravel and soft rock, refilling, watering and tamping complete	R.ft.	1,020	
2	Do 4″ do	,,	420	

Item No.	Description of work	Per	Quantity	Rate
3	Providing and fixing 6″×4″ S.W. junction ..	Each	51	
4	Do 4″ S.W. bends	,,	2	
5	Providing and fixing 4″ steel pipe with necessary supports for vent	,,	3	
6	Providing and fixing 4″ zinc cowl	,,	2	
7	Constructing man-hole 3′ dia. inside complete, as per design and providing and fixing 21″ dia. C.I. man-hole cover and frame, up to 4′ depth	No.	11	
8	Excavating bund 5′ to 6′ deep and refilling and tamping	R.ft.	40	
9	Constructing septic tank 14′×4′ and 4½′ deep below invert level of the inlet pipe, as per type design	Each	1	
10	Providing and fixing 6″×4″ S.W. gully trap with cement concrete bed and cement plastering above the trap, making edges round, including providing cement concrete to H.C. area, cement plastering and making foot rests complete	,,	51	
11	Providing and fixing 4″ S.W. bend with cement concrete bed, constructing cistern, including cost of C. I. grating and deviating the channel to cistern and leading the waste water from bund to channel	,,	51	
12	Making H.C. slab with cement concrete and iron rod support, filling cement concrete alround closet and plastering	,,	51	
13	Providing and fixing 4″ S.W. channel and constructing cement concrete drain above and cement plastering ..	R.ft.	102	
14	Wall bore and re-doing after laying pipes	Each	102	
15	Man-hole bore and re-doing and making drains.. ..	,,	20	

K. S. HUTCHA RAO,
Sanitary Engineer.

KOLAR DIVISION.

Abstract Notification dated 28th November 1939.

The attention of the public is invited to the detailed notification, dated 28th November 1939, published on pages 2459-2462, Part VI of the *Mysore Gazette*, dated 7th December 1939, regarding tenders for improving the feeder channel to Devaramallur Major Tank, Reg. No. 32, Sidlaghatta Taluk.

The last date for lodging of tender is up to 2 P.M. on the 22nd December 1939.

Abstract Notification dated 3rd December 1939.

The attention of the public is invited to the detailed notification, dated 2nd December 1939, published on pages 2462-2464, Part VI of the *Mysore Gazette*, dated 7th December 1939, regarding tenders for restoring Korenahalli Malladapally Tank, Reg. No. 250 in Srinivaspur Taluk.

The last date for receiving tenders is 22nd December 1939 up to 2 P.M.

C. R. IYENGAR,
Executive Engineer.

MANDYA DIVISION.

Abstract Notification dated 2nd December 1939.

The attention of the public is hereby invited to the notification on pages 2512-2514, Part VI of the issue of the *Mysore Gazette*, dated 14th December 1939, inviting tenders for restoration of Bettadahalli tank in Nagamangala Taluk.

The last date fixed for the receipt of tenders in this office is 12 NOON on 2nd January 1940.